

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

PAGE 1 of 2

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Midvale Colliery Co. Operator Well No.: 9400

LOCATION: Elevation: 2092' Quadrangle: Gauley Bridge
District: Valley County: Fayette
Latitude: 38.190426 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: 81.162082 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Co. Coal Operator Midvale Colliery
120 Professional Place or Owner P O Box 433
Bridgeport WV 26330 Charleston WV 25332
Agent Rex C. Ray Coal Operator Imperial Colliery
Permit Issued Date 4/11/13 or Owner 811 A E. Main St
Oak Hill WV 25901

RECEIVED
Office of Oil & Gas
JUL 16 2013

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln ss:

WV Department of
Environmental Protection

Roger McComas and Harold Hale being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5th day of June, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	3201'		
Pull 3-1/2"		3195'	3195'	0
Cement	3201'	2770'		
Cement	2762'	2669'		
Pull 7"		2020'	2020'	699'
Cement	2117'	1962'		
Contd on page 2				

Description of monument: Erect monument with API# 47-019-00078P and that the work of plugging and filling said well was completed on the 19th day of June, 2013

And further deponents saith not.

Roger McComas
Harold Hale

Sworn and subscribe before me this 21 day of June, 2013

My commission expires: 10-7-2022

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title:

6-24-13



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

PAGE 2 of 2

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Midvale Colliery Co. Operator Well No.: 9400

LOCATION: Elevation: 2092' Quadrangle: Gauley Bridge

District: Valley County: Fayette

Latitude: 38.190426 Feet South of _____ Deg. _____ Min. _____ Sec.

Longitude: 81.162082 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Co. Coal Operator Midvale Colliery
120 Professional Place or Owner P O Box 433
Bridgeport WV 26330 Charleston WV 25332

RECEIVED
Office of Oil & Gas

Agent Rex C. Ray

Coal Operator Imperial Colliery
or Owner 811 A E. Main St.

JUL 16 2013

Permit Issued Date 4/11/13

Oak Hill WV 25901

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln ss:

Roger McComas and Harold Hale being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5th day of June, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1612'	1497'	Perf 8-1/4" - 1597'	1587' / 1125' - 1115' / 814' - 804'
Cement	1200'	1075'		
Cement	884'	760'		
Pull 8-5/8"		220'	220'	1792'
Cement	290'	Surface	Perf 13" - 200' - 197'	93' - 89'
No 10-3/4" in well. Pulled all 3-1/2" out. Put gel between cement plugs.				

Description of monument: Erect monument with API# 47-019-00078P and that the work of plugging and filling said well was completed on the 19th day of June, 2013

And further deponents saith not.

Roger McComas
Harold Hale


Sworn and subscribe before me this 21 day of June, 2013

My commission expires: 10-7-2022

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: 6-24-13



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: New River Coal Co. Operator Well No.: M-22

LOCATION: Elevation: 1,187 Quadrangle: Montgomery
District: Valley County: Fayette
Latitude: 38.132328 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: 81.287878 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Co. Coal Operator Western Pocahontas Properties
1710 Pennsylvania Ave or Owner 5260 Irwin Road
Charleston WV 25302 Huntington WV 25705

Agent Rex C. Ray Coal Operator _____ **RECEIVED**
Permit Issued Date 2/12/13 or Owner _____ **Office of Oil & Gas**

AFFIDAVIT

JUL 16 2013

STATE OF WEST VIRGINIA,
County of Lincoln ss:

WV Department of
Environmental Protection

Roger McComas and Edbert Adkins being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 16th day of April, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	2353'		
Pull 2-3/8"		2353'	2353'	0
Cement	2333'	1479'		
Cement	1307'	1010'	Perf 7" - 1187' - 1180'	
Pull 7"		410'	410'	1081'
Cement	516'	381'		
Cement	201'	Surface		10-3/4" - 18'

No 8-5/8" in well

Description of monument: Erect monument with API# 47-019-00431 and that the work of plugging and filling said well was completed on the 24th day of April, 2013


And further deponents saith not.

Roger McComas
Edbert Adkins

Sworn and subscribe before me this 24 day of April, 2013

My commission expires: 10-7-2022

Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: 429-B

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Humphry, Donald & Gladys Operator Well No.: 652581 (Rusk #839)

LOCATION: Elevation: 1081' Quadrangle: Wallace
District: Eagle County: Harrison
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT Production Company Coal Operator Consolidation Coal Company
1710 Pennsylvania Avenue or Owner 1000 Consol Energy Drive
Charleston, WV 25302 Canonsburg, PA 15317
Agent Rex C. Ray Coal Operator _____
Permit Issued Date 12-14-2011 or Owner _____

RECEIVED
Office of Oil & Gas

JUL 16 2013

AFFIDAVIT

STATE OF WEST VIRGINIA, KY
County of Floyd ss:

WV Department of
Environmental Protection

Rodney Osborne and Charles Moore being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25th day of April, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
6% Gel	2406'	Surface	1558' of 2 3/8"	299' of 10"
C1A Cement	1775'	1575'	315' of 6 5/8"	1274' of 6 5/8"
C1A Cement	1558'	1392'		848' of 2 3/8"
C1A Cement	1309'	1205'		
C1A Cement	1113'	835'		Perfd 5 holes each @ 1309', 1209', 1000', 950', 900', 840
C1A Cement	357	Surface		Perfd 3 holes each @ 350', 250', 200', 150', 100', 50

Description of monument: Metal plate w/ EQT., API, Well #, Plugged Date, welded on 4" squared tubing 36" above ground and that the work of plugging and filling said well was completed on the 2nd day of May, 2013.


And further deponents saith not.

Rodney Osborne
Charles Moore

Sworn and subscribe before me this 6th day of May, 2013

My commission expires: 9-26-14

Michelle Handshoe
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: 5/13/2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name: <u>Sweetland Land & Mineral</u>		Operator Well No.: <u>No. 6</u>	
Location:	Elevation: <u>1020'</u>	Quadrangle:	<u>Garrett's Bend 7.5'</u>
	District: <u>Duval</u>	County:	<u>Lincoln</u>
	Latitude: _____	Feet South of: _____	Deg. _____ Min. _____ Sec. _____
	Longitude: _____	Feet West of: _____	Deg. _____ Min. _____ Sec. _____
Well Type:	Oil <u>X</u> Gas _____	WIW	_____
Company:	<u>HG Energy LLC</u>	Coal Operator	<u>NA</u>
	<u>5260 Dupont Road</u>	or Owner	_____
	<u>Parkersburg, WV 26101</u>		_____
Agent:	<u>Phillip S. Ondrusek</u>	Coal Operator	<u>NA</u>
		or Owner	_____
Permit Issued:	<u>5/1/13</u>		_____

State of West Virginia, County of Wood ss:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2530'	2394' (tag)	8 5/8" 0'	341'
Cement	2103'	1786'	4 1/2" 1886'	696'
Cement	1282'	1000'		
Cement	420'	300'		
Cement	105'	0'		
6% Gel Between Cement Plugs				

JUL 12 2013

Office of Oil and Gas
WV Dept. of Environmental Protection
Morgantown, WV 26604-0001

Math Miller
Roger Melonas

Title: Oil & Gas District Inspector



AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name: Alawest, Inc. Operator Well No.: WC012702

Well Type: OIL _____ GAS ☒

or Owner

County of Mercer ss:

being first duly sworn according to law depose

and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17th day of April, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A, 2% CaCl	surface	744'		47 ft. - 13 3/8 inch
				453 ft. - 8 5/8 inch
gel spacer	744'	844'		
Class A, 2 % CaCl	844'	1575'		1965 ft. - 5 1/2 inch
This was a horizontal	CBM well. A bridge plug	was set at 1654 ft. and a	whipstock used to cut hole in sidewall of	5 1/2 inch casing just above the bridge plug
The horizontal leg was	then filled with water up	to 1575 feet, where	cement plugging began (see schematic).	

Description of monument: three inch by four foot high steel post with well number and that the work of plugging and filling
said well was completed on the 18th day of April, 20 13.

And further deponents saith not.

James Rhy 5/21/13
Russell Nessing 5-21-13

Sworn and subscribe before me this 21st day of May, 2013

My commission expires: **BEVERLY A. WEBB**
NOTARY PUBLIC
Commonwealth of Virginia
Reg. #7502381

My Commission Expires June 30, 2015

Affidavit reviewed by the Office of Oil and Gas

Notary Public

Title:

Office of Oil and Gas
W.V. Dept. of Environmental Protection
T. J. ...

Received

JUN 3 2013

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: MURRAY 567 Operator Well No.: 651621

LOCATION: Elevation: 1136' Quadrangle: GLOVER GAP
District: MANNINGTON County: MARION
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQUITABLE PRODUCTION CO Coal Operator CONSOLIDATION COAL COMPANY
1710 PENNSYLVANIA AVE. or Owner 1000 CONSOL ENERGY DR
CHARLESTON WV 25302 CANNONBURG PA 15317

Agent REX C. RAY
Permit Issued Date 11/03/2011

Coal Operator
or Owner

RECEIVED
Office of Oil & Gas

AFFIDAVIT

JUL 16 2013

STATE OF WEST VIRGINIA,
County of UPSHUR ss:

KEVIN METZ and TIM MARSH being first duly sworn according to law do hereby depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 21ST day of MAY, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2121'	1993'	5 1/2" 1706'	365'
CEMENT	1756'	1650'	7" 1350'	575'
GEL	1650'	1394'	8 1/4" 0'	1430'
CEMENT	1394'	1240'	10" 0'	179'
GEL	1240'	1015'		
CEMENT	1015'	836'		
CEMENT	836'	781'	CONT ON BACK	

Description of monument: 7" PIPE 5' ABOVE GROUND WITH API # and that the work of plugging and filling said well was completed on the 26TH day of JUNE, 2013.


And further deponents saith not.

Sworn and subscribe before me this 26th day of June, 2013

My commission expires: 6/12/2016

Notary Public

Affidavit reviewed by the Office of Oil and Gas: Denise H. Pulliam Title: Environmental Inspector



47-049-00412


GEL	781'	TO	159'
CEMENT	159'	TO	79'
CEMENT	79'	TO	0'

PERFORATED 8" @ 945' TO 952'
PERFORATED 8" @ 835' TO 841'

RECEIVED
Office of Oil & Gas

JUL 16 2013

WV Department of
Environmental Protection



JUL 1 2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name: <u>J. L. Erwin</u>		Operator Well No.: <u>No. 88</u>	
Location:	Elevation: <u>1164'</u>	Quadrangle:	<u>Mannington 7.5'</u>
	District: <u>Mannington</u>	County:	<u>Marion</u>
	Latitude: _____	Feet South of: _____	Deg. _____ Min. _____ Sec. _____
	Longitude: _____	Feet West of: _____	Deg. _____ Min. _____ Sec. _____
Well Type:	Oil _____ Gas _____	WIW	<u>X</u>
Company:	<u>HG Energy LLC</u>	Coal Operator	<u>CONSOL Energy - Michele O'Neil</u>
	<u>5260 Dupont Rd</u>	or Owner	<u>6126 Energy Road</u>
	<u>Parkersburg, WV 26101</u>		<u>Moundsville, WV 26041</u>
Agent:	<u>Philip S. Ondrusek</u>	Coal Operator	<u>NA</u>
		or Owner	
Permit Issued:	<u>3/14/13</u>		

State of West Virginia, County of Wood ss:

John Fordyce and Kyle Perkins being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 5th day of June, 20 13 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	3160'	2920' (Tag)	8 5/8" 0'	999.28'
Cement	2460'	2360'	4 1/2" 1028'	2279'
Cement	1550'	1393' (Tag)		
Cement	1028'	880'		
Cement	100'	0'		
			Ripped 4 1/2" Casing @ 2420' & 1531'	
6% Gel Between Cement Plugs				

Description of monument: 8" x 4' and that the work of plugging
and filling said well was completed on the 19th day of June, 20 13


And further deponents saith not.

Sworn and subscribed before me this 28 day of June, 20 13
My commission expires: Nov. 12 2018

Notary Public

**Affidavit reviewed by the
Office of Oil and Gas:**

Title: Environmental Inspector



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Elliot, Joseph & Whitney Operator Well No.: WV 606204 (Beatty 6204)

LOCATION: Elevation: 1183' Quadrangle: Glover Gap
District: Mannington County: Marion
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company Eqt Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator Consolidation Coal Company

or Owner 1000 Consol Energy Drive

Cannonsburg, PA 15317

Coal Operator Attn: Don Puglio

or Owner _____

Agent Rex C. Ray

Permit Issued Date 9-26-2011

RECEIVED
Office of Oil & Gas

JUL 16 2013

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~ KY
County of Floyd ss:

WV Department of
Environmental Protection

Rodney Osborne and Charles Moore being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6th day of May, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
See Attachment			986' of 5 1/2"	562' 8 1/4"
			2862' of 2 3/8"	1794' 6 5/8"
				Perfd 10 holes each @ 845', 732', 245'
				5 holes each @ 830', 825', 728', 725', 650', 600', 550',
				512', 410', 360', 4 holes each @ 1844', 1794', 1744',
				1610', 1560', 1510', 1418', 1368', 200', 150', 100'

Description of monument: Metal plate w/ EQT, Well and API #'s, and plug date welded on 4" casing 36" above ground and that the work of plugging and filling said well was completed on the 14th day of May, 2013.

And further deponents saith not.


Rodney Osborne

Charles Moore

Sworn and subscribe before me this 15th day of May, 2013

My commission expires: 9-26-14

Michelle Handschick
Notary Public



Affidavit reviewed by the Office of Oil and Gas: William J. Haskett Title: Environmental Inspector

47-049-01004

R&J Well Service, Inc

API # 47-049-01004

606204

<u>Type</u>	<u>From</u>	<u>To</u>
6% Gel	2862	surface
C1A Cement	2840'	2695
C1A Cement	1854'	1735
C1A Cement	1611'	1501
C1A Cement	1422'	1305'
C1A Cement	884'	510'
C1A Cement	510'	345'
C1A Cement	221'	Surface

RECEIVED
Office of Oil & Gas

JUL 16 2013

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Greer Steel Company Operator Well No.: 911871

LOCATION: Elevation: 2126' Quadrangle: Morgantown
District: Morgan County: Monongalia
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company Chesapeake Appalachia Coal Operator Greer Steel Company
PO Box 1300 or Owner PO Box 176
Jane Lew, WV 26378 Masontown, WV 26542

Agent Eric B. Gillespie Coal Operator _____
Permit Issued Date 10/25/2012 or Owner _____

RECEIVED
Office of Oil & Gas

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

JUN 24 2013


Phillip Pulliam and Tim Marsh being first duly sworn depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 26th day of April, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Bridge Plug	7492'	7490'	4 1/2" 2197'	5892'
Cement	7490'	7226'	9 5/8" 0'	1012'
Gel 6%	7226'	2220'	13 3/8" 0'	48'
Cement	2220'	2043'		
Gel 6%	2043'	1067'		
Cement	1067'	952'		
Gel 6%	952'	250'		
Cement	250'	0'		

Description of monument: 7" pipe 5' above ground with 2" vent and plate with API #
said well was completed on the 29th day of May, 2013

And further deponents saith not.

Timothy R. Marsh
Phillip O. Pulliam



Sworn and subscribe before me this 31st day of May, 2013

My commission expires: 06/12/2016

Denise H. Pulliam
Notary Public

Affidavit reviewed by the Office of Oil and Gas: S. P. O. W. Smith Title: 5/15/2013

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: HARTMAN, PAUL DAVID Operator Well No.: 9439

LOCATION: Elevation: 1,138.12 Quadrangle: BURNT HOUSE
District: UNION County: RITCHIE
Latitude: 13525 Feet South of 39 Deg. 5 Min. 0 Sec.
Longitude 2175 Feet West of 80 Deg. 55 Min. 0 Sec.

Well Type: OIL _____ GAS _____ X _____

Company: CNG Transmission Corporation Coal Operator None
445 West Main Street or Owner _____
Clarksburg, WV 26301 _____

Agent: James D. Blasingame Coal Operator None
or Owner _____

Permit Issued: 05/08/97

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Ritchie ss:

James E. Simons and Bradley T. Liggett being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Hersman Oil and Gas Inspector representing the Director, say that said work was commenced on the 9th day of June, 1997, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
35 sks Class A	2131	2031	923' 7"	1142'
145 sks. Class A	1493	900		(923'-2065')
70 sks. Class A	761	561		
130 sks. Class A	123	Surface		

Description of monument: 7" pipe w/plaque bearing CNGT, 47-085-0867P, date
and that the work of plugging and filling said well was completed on
the 12th day of June, 1997.

And further deponents saith not.

Sworn and subscribe before me this _____ day of _____
My commission expires: _____

Received 19

Oil and Gas Inspector:

Notary Public
JUL 12 2013

Office of Oil and Gas
WV Dept. of Environmental Protection

WR-38
DATE: 12/26/01

API # 47-085-04144

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Wright, Othel Operator Well No.: 9318

LOCATION: Elevation: 953.99 Quadrangle: Burnt House WV 7.5'
District: Union County: Ritchie
Latitude: 12900 Feet South of 39 Deg. 05 Min. 00 Sec.
Longitude: 3200 Feet West of 80 Deg. 55 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company: Dominion Transmission
445 West Main Street
Clarksburg, WV 26301

Coal Operator No Operations
or Owner _____

Coal Operator _____
or Owner _____

Agent: James D. Blasingame

Permit Issued Date: 5/24/2001

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Ritchie ss:


James E. Simons and Fred Gaukel being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Larry Parrish Oil and Gas Inspector representing the Director, say that said work was commenced on the 6th day of August, 2001, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
29 sx. Cl. A cement	2325	2240	1444' of 4 1/2" casing	838' of 4 1/2" casing
38 sx. Cl. A	2240	1700	892.15' of 7" casing	771' of 8 5/8" casing
50 sx. Cl. A	1545	1250'	97' of 8 5/8" casing	1007.85' of 7" casing
65 sx. Cl. A	945	735		100' of 10 3/4" casing
185 sx. Cl. A	630	60		
60 sx. Cl. A	60	Squeeze	Perforated 50-75	
100 sx. Cl. A	50	Surface	100 shots 4 spf	
100# Flo-Cel	50	Surface		
Straw and 25 sx. Cl. A Cmt.				

Description of monument: 2'x 2' plate welded to 2" vent with Well No., API No., and date plugged and filled
of plugging and filling said well was completed on the 23rd day of August, 2001.

And further deponents saith not.

Fred Gaukel
James E. Simons



Sworn and subscribed before me this 4th day of February

My commission expires: Aug 28, 2011

Linda J. Hiteshew
Notary Public

2001 JUL 2 2013

Office of Oil and Gas
WV Dept. of Environmental Protection

Oil and Gas Inspector: [Signature]

WR-38
DATE: 12/27/01

API # 47-085-04172P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Maxwell, Martin James Operator Well No.: 9736

LOCATION: Elevation: 1118.32 Quadrangle: Burnt House WV 7.5'
District: Union County: Ritchie
Latitude: 11850 Feet South of 39 Deg. 05 Min. 00 Sec.
Longitude: 7100 Feet West of 80 Deg. 55 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company: Dominion Transmission
445 West Main Street
Clarksburg, WV 26301

Coal Operator No Operations
or Owner _____

Coal Operator _____
or Owner _____

Agent: James D. Blasingame

Permit Issued Date: 5/24/2001

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Ritchie ss:

James E. Simons and Fred Gaukel being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Larry Parrish Oil and Gas Inspector representing the Director, say that said work was commenced on the 19th day of July, 2001, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
30 sx. Cl. A with 1% CFR2	Below retainer	@ 2380'	1200' of 3 1/2" tubing	302' of 10 3/4" casing
18 sx. Cl. A with 1% CFR2	2380	2000	1200' of 5 1/2" casing	1115' of 8 5/8" casing
50 sx. Cl. A	1200	1045	1195.55' of 7" casing	790.45' of 7" casing
112 sx. Class A	1015	606		797' of 5 1/2" casing
113 sx. Class A	606	206		1277' of 3 1/2" tubing
150 sx. Class A	248	0	Perforate 8 5/8" casing at	
			500 w/ 4 shots and at	
			275-300 w/ 4 spf	


Description of monument: 2'x 2' plate welded to 2" vent with Well No., API No. and date plugged and that the work of plugging and filling said well was completed on the 6th day of August, 2001.

And further deponents saith not.

Sworn and subscribed before me this 4th day of February

My commission expires: Aug 28, 2011

Linda J. Hitesrewe
Notary Public



Oil and Gas Inspector: Larry Parrish

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Fred Allen Shreve Operator Well No.: WV 650461

LOCATION: Elevation: 865' Quadrangle: Porter Falls
District: Ellsworth County: Tyler
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Well Type: OIL GAS XXXX

Company: EQT Production Company Coal Operator NA
1710 Pennsylvania Avenue or owner
Charleston, WV 25302

Agent: Rex C. Ray Coal Lessee NA
With declaration RECEIVED

Permit Issued Date: 05/03/2012

Office of Oil & Gas

AFFIDAVIT

JUL 16 2013

STATE OF WEST VIRGINIA,
County of Tyler

ss:

WV Department of
Environmental Protection


Jacob Snider and Jackie Carpenter do hereby swear according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Taylor Oil and Gas Inspector representing the Director, say that said work was commenced on the 20th day of May 2013 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2010'	1910'	5 1/2" 1002'	
Cement	1809'	1625'		
Cement	1060'	860'	7" 95'	No records on file
Cement	568'	439'		Amount of pipe in hole
Cement	301'	150'	2" 2013'	Unknown/unavailable
Cement	150'	100'		
Cement	100'	0		
Tagged 1878'; 1620'; 150'; 100'; Found packer 2079' did not go below it. Shot 5 1/2" @ 1724'; 1703'; 1002'; Shot 7" @ 998' twice; 494' twice; 245' twice; 95' free				

Description of monument: 7 inch casing - 8 feet long with API # welded on it and that the work of plugging and filling said well was completed on the 29th day of May 2013.

And further deponents saith not.

Sworn and subscribe before me this 30th day of May, 2013
My commission expires: December 24, 2017



Gas Inspector

Zelma Meadows
Notary Public
5.30-13

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Wade Radabaugh Operator Well No.: WV 152151 (Radabaugh #B-70)

LOCATION: Elevation: 1428' Quadrangle: Berlin 245
District: Warren County: Upshur
Latitude: Feet South of Deg. Min. Sec.
Longitude: Feet West of Deg. Min. Sec.

Well Type: OIL GAS XXXX

Company: EQT Production Company Coal Operator NA
1710 Pennsylvania Avenue
Charleston, WV 25302

Agent: Rex C. Ray Coal Lessee NA
With declaration RECEIVED

Permit Issued Date: 08/08/2012

Office of Oil & Gas

AFFIDAVIT

JUL 16 2013

STATE OF WEST VIRGINIA,
County of Upshur ss:

WV Department of
Environmental Protection


Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Bill Hatfield Oil and Gas Inspector representing the Director, say that said work was commenced on the 26th day of April, 2013 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	4389'	4200'	4 1/2" 1256'	3163'
Cement	4389'	4200' RESET	0	8" 1112'
Cement	3015'	2867'		Cemented to surface
Cement	1683'	1650'		
Cement	1650'	1326'		11 1/2" 35'
Cement	1300'	1023'		Cemented to surface
Cement	1023'	912'		
Cement	912'	750'		
Cement	204'	0'		
Tagged 4202'; 2867'; 1650'; 1326'; 1023'; 902'				
Shot 4 1/2" @ 3470'; 2970'; 1660'; 1525'; 1270'; 1256'; Free				

Description of monument: 7 inch casing - 8 feet long with API # welded on it and that the work of plugging and filling said well was completed on the 20th day of May 2013.

And further deponents saith not.

Sworn and subscribe before me this



Joan B. Medaris
30th day of May 2013
Michael L. Casto
Bill Hatfield Notary Public
6/27/13

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Morris #671 Operator Well No.: 651986

LOCATION: Elevation: 1268' Quadrangle: Hundred
District: Church County: Wetzel
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EOT Production Company Coal Operator Natural Resources Partners
1710 Pennsylvania Ave or Owner 5260 Irwin Road
Charleston WV 25302 Huntington WV 25705
Coal Operator Laura Williams ET AL
Agent Rex C. Ray or Owner HC 61 Box 168D
Permit Issued Date 03/01/2013 New Martinsville WV 26155

RECEIVED
Office of Oil & Gas

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Upshur ss:

JUL 16 2013

Kevin Metz and Tim Marsh being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 26th day of April, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2384'	2235'	3" 2411'	643'
Cement	2235'	2203'	6 5/8" 0'	2200'
Gel	2203'	1730'	8 1/4" 0'	1457'
Cement	1807'	1685'	10" 0'	252'
Gel	1685'	1462'		
Cement	1462'	1360'		
Gel	1360'	1051'		

continued on back

Description of monument: 7" pipe above ground with API #
said well was completed on the 21st day of May, 2013.


And further deponents saith not.

Timothy R Marsh
Kevin Metz

Sworn and subscribe before me this 21st day of May, 2013

My commission expires: 06/12/2016

Denise H. Pulliam
Notary Public



Affidavit reviewed by the Office of Oil and Gas: K C Title: Inspector

47-603-00771


Cement	1051'	to	970'
Cement	970'	to	790'
Gel	790'	to	305'
Cement	305'	to	0'

Perforated 3" at 2989' to 2999' 10 perfs

Cut 3" at 2403"

Perforated 6 5/8" at 985' 20 perfs

Perforated 6 5/8" at 86' to 870' 5 perfs



DATE: April 16, 2013

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Ritter Lumber (Heartwood Forestland) Operator Well No: 15 (1203)

LOCATION: Elevation: 1249.7' Quadrangle: Pineville 7.5'
District: Center County: Wyoming
Latitude: 11,700 Feet South of 37 Deg. 37 Min. 30 Sec. 00
Longitude: 8,250 Feet West of 81 Deg. 35 Min. 00 Sec. 00

Well Type: OIL XX GAS

Company: New River Energy Corporation
20578 Daniel Boone Parkway
Peytona, WV 25154

Coal Operator Road Fork Development Company
208 Business Street
Beckley, WV 25801

Agent: Timothy E. Comer

Coal Owner Natural Resource Partners, LP
P. O. Box 2877
Huntington, WV 25727

Permit Issue Date: January 17, 2013

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Boone Ss:

Timothy E. Comer and Timothy L. Wilson being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Barry Stollings Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 2nd day of April, 20 13 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT
Class "A" Cement	1980	1864	3 1/2"	2003'	1294'
Gel	1864	1500	7"	0'	2150'
Class "A" Cement	1500	1450	8 5/8"	0'	1212'
Gel	1450	1260	10 1/2"	0'	525'
Class "A" Cement	1260	1110	13 3/8"	0'	18'
Gel	1110	930			
Class "A" Cement	930	830	Remaining casing perforated:		Cutoff shots at 1472, 1400, 1258,
Gel	830	580			and 1160.
Class "A" Cement	580	430			1 shot per 10' at:
Gel	430	330			930 - 840 (10 shots)
Class "A" Cement	330	230			580 - 450 (14 shots)
Gel	230	100			325 - 235 (10 shots)
Class "A" Cement	100	Surface			

Description of monument: 30" x 36" Plate w/API# & date, top of 7", 5' above surface and that the work of plugging and filling said well was completed on the 12th day of April, 20 13

And further deponents saith not.

Sworn and subscribe before me this 17th day of April
My commission expires: December 15, 2014

Alverta Sue McGee
Notary Public



OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
ALVERTA SUE MCGEE
2545 Rock Creek Road
Foster, WV 25061
My Commission Expires Dec. 15, 2014

Oil and Gas Inspector:

Barry Stollings

7-18-13

47-109-00114

WR-38
Rev. 5/08API # 47-109-00114
Office Received
Oil & Gas
MAY - 8 2013STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Pardee & Curtin Realty LLC Operator Well No.: 9016LOCATION: Elevation: 1441 ft. Quadrangle: Pineville, WV
District: Center County: Wyoming
Latitude: 14,500 Feet South of 37 Deg. 35 Min. 00 Sec.
Longitude: 5,600 Feet West of 81 Deg. 35 Min. 00 Sec.Well Type: OIL GAS x Company CNX Gas Co. LLC Coal Operator WPP LLC
2481 John Nash Blvd or Owner 5260 Irwin Road
Bluefield, WV 24701 Huntington, WV 25705
Agent Jeremy Jones Coal Operator Pinnacle Mining Co. LLC
Permit Issued Date 09/27/2012 or Owner PO Box 338
Pineville, WV 24874

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Mercer ss:Rusty Necessary and Jason Riley being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 12th day of December, 2012, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
16 inch	0	17 ft. 6 inches		17 ft. 6 inches
10 3/4 inch	0	521 ft. 6 inches		521 ft. 6 inches
8 5/8 inch	0	779 ft.	779 ft.	
8 5/8 inch	779 ft.	1183 ft.		
5 1/2 inch	0	1700 ft.	1700 ft.	404 ft.
5 1/2 inch	1700 ft.	3398 ft.		
Total feet plugged in wellbore			Supertronic cement from 789 to surface.	1688 ft.

Description of monument: 4 inch steel and that the work of plugging and filling said well was completed on the 23rd day of January, 2013.

And I, the undersigned, do hereby depose and say that I am a Notary Public in and for the State of West Virginia, my commission expires on March 13, 2018.

OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
BEVERLY WEBB
CNX GAS COMPANY LLC
2481 JOHN NASH BLVD
BLUEFIELD, WV 24701
My commission expires March 13, 2018

day of March, 2013

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title: Inspector

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Poco Land Corp Operator Well No.: PLC27
LOCATION: Elevation: 2051.53' Quadrangle: Pineville
District: Center County: Wyoming
Latitude: 9575 Feet South of 37 Deg. 32 Min. 30 Sec.
Longitude: 4050 Feet West of 81 Deg. 35 Min. 0 Sec.

Well Type: OIL GAS x

Company	<u>Hayden Harper Energy KA, LLC</u>	Coal Operator	<u>Pinnacle Mining Company, LLC</u>
	<u>1001 Moorehead Sq. Dr. - Suite 350</u>	or Owner	<u>P.O. Box 338</u>
	<u>Charlotte, NC 28203</u>		<u>Pineville, WV 24874</u>
Agent	<u>Don Robinson</u>	Coal Operator	<u>WWP LLC</u>
		or Owner	<u>P.O. Box 2827</u>
Permit Issued Date	<u>3/29/13</u>		<u>Huntington, WV 25725</u>

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Wyoming ss:

Bob Huddleston and Shawn Adkins being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of April, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Check TD		2890'	9 5/8" 0'	31'
Cement	1675'	2860'	7" 0'	1393'
Pull 4 1/2"		1337'	4 1/2" 1337'	1653'
MRI 7"	1310'	1335'		
3% Gel	Surf	1675'		
Expanding Cement	750'	1600'		
Expanding Cement	Surf	750'		

Description of monument: 5' joint of 4 1/2" casing welded to top of 7" with API # and that the work of plugging and filling said well was completed on the 13th day of May, 2013.

And further deponents saith not.

Sworn and subscribe before me this 29th day of MAY, 2013

My commission expires: 2-9-14

Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Title:

Received

JUL 5 2013

Office of Oil and Gas
Department of Environmental Protection

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
THOMAS LEE SNODGRASS
Lease or Property Owner
291 EVANSRUN ROAD MANNINGTON, WV 26682
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5358
Well No.
SNODGRASS, THOMAS LEE
Farm

STATE INSPECTOR SUPERVISING PLUGGING 

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16th day of April, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed all 5/8" sucker rod from the surface to 2115'. Removed all 2 3/8" tubing from the surface to 2289'. Removed all 5 1/2" casing from the surface to 2197'. Cleaned 6 1/4" hole inside of 7" casing from the surface to 2072'. Continued to cleaned 6 1/4" hole from 2072' to 2290'. Tagged solid plug at 2290'. Removed 676' of 7" casing from the surface to 676'. Cemented bottom hole plug from 2290 to 1660' with 150 sacks of Class 1 Cement. Removed 984' of 7" casing from 676' to 1660'. Remaining 7" casing was cut at the following depths: 1972', 1872', 1772' and 1672'. Removed 1212' of 8 5/8" casing from the surface to 1220'. Remaining 8 5/8" casing was cut at the following depths: 1450', 1350' and 1250'. Cleaned 12 1/4" hole from the surface to 292'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 292' to 1220'. Tagged top of 8 5/8" casing at 1212'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 1220' to 1550'. Continued to clean 7 7/8" hole from 1550' to 1590'. Tagged top of 7" casing at 1590'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole through 7" casing to 1660'. Tagged top of bottom hole plug at 1660'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1082' to 1089'. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor 8 5/8" Casing 7" Casing 4 1/2" Casing 2 3/8 Tubing 5/8" Sucker Rods	0' 1212' 1580' 2197' 2289' 2115'	20' 338' 482' 0' 0' 0'
<u>Cemented hole from top of bottom hole plug at 1660' back to surface as follows:</u> From 1660' to 1289' with 90 sacks of 35/65 Poz Cement. From 1289' to 982' with 140 sacks of Thixotropic Cement with green dye. From 982' to surface with 340 sacks of Econofill Cement. A total of 720 sacks of cement were used to fill the hole from 2290' to surface. Cement did circulate at the surface.		<div>RECEIVED</div> <div>Office of Oil & Gas</div> <div>JUN 24 2013</div> <div>WV Department of Environmental Protection</div>		
Coal Seams		Description of formation		
Pittsburgh	(1082' - 1089')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		


RECEIVED
Office of Oil & Gas

JUN 24 2013

WV Department of
Environmental Protection



... and that the work of plugging and filling said well was completed on the 10th day of May, 2013

And further deponents say:



Sworn to and subscribed before me this 3rd day of June

My commission expires: Feb. 16, 2021


Delbert Moore

Kevin S. Wright


Notary Public

Permit No. 47-049-01992-P
Well No. 5358

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
LARRY F. ORLOFF SR.
Lease or Property Owner
1109 EVERGREEN DR. MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5165
Well No.
ORLOFF, LARRY F., SR.
Farm

STATE INSPECTOR SUPERVISING PLUGGING [Signature]

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of May, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" from the surface to 303'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 303' to 958'. Tagged top of 7" casing at 958'. Reduced hole to 6 1/4". Clean 6 1/4" hole inside 7" casing from 958' to 1970'. Continue to clean 6 1/4" from 1970' to 2182'. Cut 7" casing at the following depths: 1870', 1770', 1675', 1570', 1470' and 1375'. Cement bottom hole plug from 2182' to 1600' with 100 sacks of 35/65 Poz Mix Cement. Removed 417' of 7" casing from 958' to 1375'. Left 595' of 7" casing in the hole from 1375' to 1970'. Clean 9 7/8" hole from 958' to 1375'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 953' to 959'.		16" Conductor 7" Casing	0' 417'	16' 595'
RECEIVED Office of Oil & Gas JUN 24 2013 WV Department Environmental Protection				
<u>Cemented hole from the top of the bottom hole plug at 1600' back to surface as follows:</u> From 1600' to 1159' with 125 sacks of 35/65 Poz Mix Cement. From 1159' to 853' with 135 sacks of Thixotropic Cement w/ dye. From 853' to surface with 265 sacks of Econofill Cement. A total of 625 sacks of cement was used to cement the hole from 2182' to surface. Cement did circulate at the surface. Left 12' of 16" conductor casing in the hole from the surface to 12'.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	953' to 959'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 29th day of May, 2013

And further deponents saith not.

[Signature]
Mike Mitchell


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 19th day of June 2013

[Signature]
Notary Public

My commission expires: 9-12-2017

Permit No. 47-49-02259-P
Well No. 5165



AFFIDAVIT OF PLUGGING AND FILLING WELL

ORIGINAL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
MATHEW M CALL
Lease or Property Owner
1688 DENTS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.6'
Well Location
MANNINGTON
District
MARION
County
5163
Well No.
CALL, MATHEW M.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 23rd day of April, 2013 and that the well was plugged in the following manner:

	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Formation	Cleaned 12 1/2" hole from the surface to 260'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 260' to 1324'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1324' to 1354'. Tagged solid plug at 1354'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 867' to 873'. Left 16' of 16" conductor casing in the hole from the surface to 16'. <u>Cemented hole from 1354' back to surface as follows:</u> From 1354' to 1073' with 120 sacks of 35/65 Poz Mix Cement. From 1073' to 767' with 135 sacks of Thixotropic Cement w/ dye. From 767' to surface with 280 sacks of Econofill Cement. A total of 535 sacks of cement was used to cement the hole from 1354' to surface. Cement did circulate at the surface.	16" Conductor	0'	16'
		<div>RECEIVED Office of Oil & Gas JUN 24 2013 WV Department of Environmental Protection</div>		
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	867' to 873'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 7th day of May, 2013

And further deponents saith not.

Mike Mitchell
Mike Mitchell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 3rd day of June 2013

Carol A. Mayle
Notary Public

My commission expires: 9-12-2017

Permit No. 47-49-02256-P
Well No. 5163



AFFIDAVIT OF PLUGGING AND FILLING WELL

ORIGINAL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
DOUGLAS L. CYPHERS
Lease or Property Owner
8 SMOKEY VALLEY ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5162
Well No.
CYPHERS, DOUGLAS L.
Farm

STATE INSPECTOR SUPERVISING PLUGGING [Signature]

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1st day of May, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 231'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 231' to 1249'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 744' to 752'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1249' to 1746'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1746' to 2746'. Tagged solid plug at 2746'. Cement bottom hole plug from 2746' to 1000' with 345 sacks of 35/65 Poz Mix Cement. Tagged bottom hole plug at 977'. Left 15' of 16" conductor casing in the hole from the surface to 15'.		16" Conductor	0'	15'
<u>Cemented hole from top of bottom hole plug at 977' back to surface as follows:</u> From 977' to 644' with 160 sacks of Thixotropic Cement w/ dye. From 644' to 251' with 115 sacks of Econofill Cement. From 251' to the surface with 100 sacks of Econofill Cement. A total of 720 sacks of cement was used to cement the hole from 2746' to surface. Cement did circulate at the surface.		<div>RECEIVED</div> <div>Office of Oil & Gas</div> <div>JUN 24 2013</div> <div>WV Department of Environmental Protection</div>		
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	<u>744' to 752'</u>	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				

... And that the work of plugging and filling said well was completed on the 17th day of May, 2013

And further deponents saith not.

[Signature]
Russell Smallwood


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 20 day of June

[Signature]
Notary Public

My commission expires: February 16, 2021

Permit No. 47-49-02258-P
Well No. 5162



AFFIDAVIT OF PLUGGING AND FILLING WELL

ORIGINAL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
RONALD A. & PRISCILLA A. HAMILTON
Lease or Property Owner
3 BEHLAR ROAD FAIRVIEW, WV 26570
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5344
Well No.
HAMILTON, RONALDA. & PRISCILLA A. HAMILTON
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William Wright*

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of April, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from the surface to 523'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 523' to 1327'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1327' to 1328'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1328' to 1344'. Tagged solid plug at 1344'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1084' to 1091'. Left 40' of 16" conductor casing in the hole from the surface to 40'.		16" Conductor	0'	40'
RECEIVED Office of Oil & Gas JUN 24 2013 WV Department of Environmental Protection				
Coal Seams		Description of Monument		
Pittsburgh	(1084' - 1091')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15th day of April, 2013

And further deponents



Delbert Moore
Delbert Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 3rd day of June

Monica DeFelice
Notary Public

My commission expires: Feb. 16, 2021

Permit No. 47-049-02243-P
Well No. 5344

AFFIDAVIT OF PLUGGING AND FILLING WELL

ORIGINAL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CHARLES P. GLOVER
Lease or Property Owner
2598 BUFFALO BRINK ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address

GLOVER GAP 7.5'
Well Location
MANNINGTON

District

MARION

County

5335

Well No.

GLOVER, CHARLES P.
Farm

STATE INSPECTOR SUPERVISING PLUGGING [Signature]

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of February, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 602' of 2 3/8" tubing from the hole from the surface to 602'. Cleaned 12 1/2" hole from the surface to 222'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 222 to 778'. Fished 2 3/8" junk from hole from 602' to 652'. Drilled cement and 2 3/8" tubing from 652' to 778'. Reduced hole to 6 1/2". Drill cement and 2 3/8" tubing from 778' to 838'. Clean 6 1/2" hole from 838' to 1119'. Tag solid plug at 1119'. Cleaned 6 1/2" hole through the Pittsburgh Coal seam from 803' to 809'. Possible 2 3/8" tubing reaming in coals seam. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor	0'	20'
<u>Cemented hole from 1119' back to surface as follows:</u> From 1119' to 1009' with 19 sacks of SuperLite Cement. From 1009' to 703' with 107 sacks of SuperTropic Cement with white dye. From 703' to surface with 374 sacks of SuperLite Cement. A total of 500 sacks of cement were used to fill the hole from 1119' back to surface. Cement did circulate at the surface.		<div>RECEIVED</div> <div>Office of Oil & Gas</div> <div>JUN 24 2013</div> <div>WV Department of Environmental Protection</div>		
Coal Seams		Description of Monument		
Pittsburgh	(803' - 809')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 2nd day of April, 2013

And further deponents say:



Sworn to and subscribed before me this 3rd day of June

[Signature]
Delbert Moore

[Signature]
Kevin S. Wright

[Signature]
Notary Public

My commission expires: Feb. 16, 2021

Permit No. 47-049-02240-P
Well No. 5335